

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-45. (Canceled)

46. (Currently Amended) A code division multiple access (CDMA) user device comprising:

a transceiver configured to communicate over a plurality of wireless channels with a base station;

a buffer configured to buffer packet data, the packet data being associated with at least one receive a new data type, the new data type being associated with a logical channel and having an associated ~~and having a highest~~ priority;

the transceiver is further configured to transmit control information a request to the base station indicating ~~including an urgency factor, wherein the urgency factor is indicative of a new data type and an amount of data~~ associated with ~~in the buffer of the new data type; wherein the control information is transmitted with packet data on a plurality of wireless channels; and~~

the transceiver is further configured to receive a signal with an uplink resource allocation in response to a ~~the~~ request; and

the transceiver is further configured in response to the uplink resource allocation to transmit packet data over a plurality of wireless channels; wherein a number of the plurality of wireless channels is based on at least the uplink resource allocation.

47. (Previously Presented) The CDMA user device according to claim 46 wherein the priority information is transmitted in order to define which session queue to enable or disable.

48. (Canceled)

49. (Currently Amended) The CDMA user device according to claim 46 wherein the transmitted packet data is transmitted with a sequence number and a checksum~~urgency factor is used to determine the uplink resource allocation on a per user device basis.~~

50. (Canceled)

51. (Currently Amended) The CDMA user device according to claim 46 wherein the ~~transceiver is further configured in response to the uplink resource allocation to utilize a plurality of uplink channels, wherein a number of the uplink~~

wireless channels are dynamically changed based on at least ~~in response to~~ the uplink resource allocation.

52. (Currently Amended) The CDMA user device according to claim 46 wherein the transceiver is further configured based on at least ~~in response to~~ the uplink resource allocation to change a coding associated with the ~~uplink~~ wireless channels.

53. (New) The CDMA user device according to claim 46 wherein the priority of the buffered data of the at least one logical channel is a highest priority.